


ROBIN ParFect 150 RGBA

Photometric Diagram

Min. Zoom


Total Output: 1105 lumens



Distance (m)	4	5	8	12	16	20	24	28	
Red	3670/341	2350/218	918/85	408/38	230/21	147/14	102/10	75/7	Intensity (center) Lux/Footcandles
Green	7547/701	4830/449	1887/175	838/78	472/44	300/28	210/20	154/14	
Blue	1140/106	1140/106	445/41	198/18	111/10	71/7	50/5	36/3.4	
Amber	6015/559	3850/358	1504/140	668/62	376/35	240/22	167/16	123/11.4	
R+G+B+A	15328/1424	9810/911	3832/356	1703/158	960/89	613/57	426/40	313/29	

Illuminance distribution

Distance=5m



Fixture setting: White Point 8000K Off
Fan mode: Auto


Copyright © 2018 Robe Lighting s.r.o. - All rights reserved
All Specifications subject to change without notice

ROBIN ParFect 150 RGBA

Photometric Diagram

Min. Zoom (with EggCrate)


Total Output: 926 lumens



Distance (m)	4	5	8	12	16	20	24	28	
Red	3633/338	2325/216	908/84	404/38	227/21	145/13.5	100/9.4	74/7	Intensity (center) Lux/Footcandles
Green	7469/694	4780/444	1867/174	830/77	467/43	300/28	208/19	152/14	
Blue	1764/164	1130/105	441/41	196/18	110/10	71/7	50/4.6	36/3	
Amber	5953/553	3810/354	1488/138	662/62	372/35	238/22	165/15	122/11	
R+G+B+A	15172/1410	9710/902	3793/352	1686/157	948/88	607/56	421/39	310/29	

Illuminance distribution

Distance=5m



Fixture setting: White Point 8000K Off
Fan mode: Auto


Copyright © 2018 Robe Lighting s.r.o. - All rights reserved
All Specifications subject to change without notice

ROBIN ParFect 150 RGBA

Photometric Diagram

Max. Zoom


Total Output: 2245 lumens



Distance (m)	4	5	8	12	16	20	24	28	
Red	78/7	50/5	20/2	9/0.8	5/0.5	3/0.3	2/0.2	1.6/0.1	Intensity (center) Lux/Footcandles
Green	168/16	108/10	42/4	19/1.7	11/1	6.8/0.6	5/0.4	3/0.3	
Blue	41/4	26/2.4	10/0.9	5/0.4	2.5/0.2	1.6/0.2	1/0.1	0.8/0.1	
Amber	133/12	85/8	33/3	15/1.4	8/0.8	5/0.5	4/0.3	3/0.3	
R+G+B+A	320/30	205/19	80/7.4	36/3	20/1.9	13/1.2	9/0.8	7/0.6	

Illuminance distribution

Distance=5m



Fixture setting: White Point 8000K Off
Fan mode: Auto


Copyright © 2018 Robe Lighting s.r.o. - All rights reserved
All Specifications subject to change without notice

ROBIN ParFect 150 RGBA

Photometric Diagram

Max. Zoom (with EggCrate)


Total Output: 2065 lumens



Distance (m)	4	5	8	12	16	20	24	28	
Red	72/6.7	46/4	18/1.7	8/0.7	5/0.5	3/3.1	2/0.2	2/0.1	Intensity (center) Lux/Footcandles
Green	160/15	103/9.6	40/3.7	18/1.7	10/0.9	7/0.6	5/0.4	3/0.3	
Blue	38/3.5	24/2.2	9/0.9	4/0.4	2/0.2	1.4/0.1	1/0.1	0.7/0.1	
Amber	125/12	80/7.4	31/1.3	14/1.3	8/0.7	5/0.5	4/0.3	3/0.2	
R+G+B+A	294/27	188/18	73/7	33/3	18/1.7	12/1.1	8/0.8	6/0.6	

Illuminance distribution

Distance=5m



Fixture setting: White Point 8000K Off
Fan mode: Auto

Copyright © 2018 Robe Lighting s.r.o. - All rights reserved
All Specifications subject to change without notice